




Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,0610 L	6 x 6	3 x 1,0	130	■	■	■	■	■	■	■
120,0612 L	6 x 6	3 x 1,2	130	■	■	■	■	■	■	■
120,0615 L	6 x 6	3 x 1,5	130	■	■	■	■	■	■	■
120,0618 L	6 x 6	3 x 1,8	130	◆	◆	◆	◆	◆	◆	◆
120,0620 L	6 x 6	3 x 2,0	130	■	■	■	■	■	■	■
120,0625 L	6 x 6	3 x 2,5	130	◆	○	○	◆	◆	◆	○
120,0630 L	6 x 6	3 x 3,0	130	◆	○	○	◆	◆	◆	○
120,0610 R	6 x 6	3 x 1,0	130	◆	◆	◆	◆	◆	◆	◆
120,0612 R	6 x 6	3 x 1,2	130	◆	◆	◆	◆	◆	◆	◆
120,0615 R	6 x 6	3 x 1,5	130	◆	◆	◆	◆	◆	◆	◆
120,0618 R	6 x 6	3 x 1,8	130	◆	◆	◆	◆	◆	◆	◆
120,0620 R	6 x 6	3 x 2,0	130	◆	◆	◆	◆	◆	◆	◆
120,0625 R	6 x 6	3 x 2,5	130	◆	◆	◆	◆	◆	◆	○
120,0630 R	6 x 6	3 x 3,0	130	◆	◆	◆	◆	◆	◆	○
120,0710 L	7 x 7	3 x 1,0	140	■	■	■	■	■	■	■
120,0712 L	7 x 7	3 x 1,2	140	■	■	■	■	■	■	■
120,0715 L	7 x 7	3 x 1,5	140	■	■	■	■	■	■	■
120,0718 L	7 x 7	3 x 1,8	140	■	■	■	■	■	■	■
120,0720 L	7 x 7	3 x 2,0	140	■	■	■	■	■	■	■
120,0725 L	7 x 7	3 x 2,5	140	■	○	○	■	■	■	○
120,0730 L	7 x 7	3 x 3,0	140	■	○	○	■	■	■	○
120,0735 L	7 x 7	3 x 3,5	140	◆	○	○	◆	◆	○	○
120,0740 L	7 x 7	3 x 4,0	140	■	○	○	■	■	○	○
120,0750 L	7 x 7	3 x 5,0	140	■	○	○	■	■	○	○
120,0710 R	7 x 7	3 x 1,0	140	◆	◆	◆	◆	◆	◆	◆
120,0712 R	7 x 7	3 x 1,2	140	◆	◆	◆	◆	◆	◆	◆
120,0715 R	7 x 7	3 x 1,5	140	◆	◆	◆	◆	◆	◆	◆

■ disponible du stock
 ◆ disponible sous 2 à 3 semaines
 ○ non livrable

aus Lager lieferbar
 Lieferzeit unter 2 bis 3 Wochen
 nicht lieferbar


available from stock
 lead time with 2 or 3 weeks
 not available



Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,0718 R	7 x 7	3 x 1,8	140	♦	♦	♦	♦	♦	♦	♦
120,0720 R	7 x 7	3 x 2,0	140	♦	♦	♦	♦	♦	♦	♦
120,0725 R	7 x 7	3 x 2,5	140	♦	○	○	♦	♦	♦	○
120,0730 R	7 x 7	3 x 3,0	140	♦	○	○	♦	♦	♦	○
120,0735 R	7 x 7	3 x 3,5	140	♦	○	○	♦	♦	○	○
120,0740 R	7 x 7	3 x 4,0	140	♦	○	○	♦	♦	○	○
120,0750 R	7 x 7	3 x 5,0	140	♦	○	○	♦	♦	○	○
120,0810 L	8 x 8	3 x 1,0	140	■	■	■	■	■	■	■
120,0812 L	8 x 8	3 x 1,2	140	■	■	■	■	■	■	■
120,0815 L	8 x 8	3 x 1,5	140	■	■	■	■	■	■	■
120,0818 L	8 x 8	3 x 1,8	140	■	■	■	■	■	■	■
120,0820 L	8 x 8	3 x 2,0	140	■	■	■	■	■	■	■
120,0825 L	8 x 8	3 x 2,5	140	■	○	○	■	■	■	○
120,0830 L	8 x 8	3 x 3,0	140	■	○	○	■	■	■	○
120,0835 L	8 x 8	3 x 3,5	140	♦	○	○	♦	♦	○	○
120,0840 L	8 x 8	3 x 4,0	140	■	○	○	■	■	○	○
120,0850 L	8 x 8	3 x 5,0	140	■	○	○	■	■	○	○
120,0860 L	8 x 8	3 x 6,0	140	■	○	○	■	■	○	○
120,0810 R	8 x 8	3 x 1,0	140	■	■	■	■	■	■	■
120,0812 R	8 x 8	3 x 1,2	140	■	■	■	■	■	■	■
120,0815 R	8 x 8	3 x 1,5	140	■	■	■	■	■	■	■
120,0818 R	8 x 8	3 x 1,8	140	■	■	■	■	■	■	■
120,0820 R	8 x 8	3 x 2,0	140	■	■	■	■	■	■	■
120,0825 R	8 x 8	3 x 2,5	140	■	○	○	■	■	■	○
120,0830 R	8 x 8	3 x 3,0	140	■	○	○	■	■	■	○
120,0835 R	8 x 8	3 x 3,5	140	♦	○	○	♦	♦	○	○
120,0840 R	8 x 8	3 x 4,0	140	■	○	○	■	■	○	○

■ disponible du stock
♦ disponible sous 2 à 3 semaines
○ non livrable

aus Lager lieferbar
Lieferzeit unter 2 bis 3 Wochen
nicht lieferbar


available from stock
lead time with 2 or 3 weeks
not available



Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,0850 R	8 x 8	3 x 5,0	140	■	○	○	■	■	○	○
120,0860 R	8 x 8	3 x 6,0	140	■	○	○	■	■	○	○
120,1010 L	10 x 10	3 x 1,0	140	■	◆	◆	■	■	◆	◆
120,1012 L	10 x 10	3 x 1,2	140	◆	◆	◆	◆	◆	◆	◆
120,1015 L	10 x 10	4 x 1,5	140	■	■	■	■	■	■	■
120,1018 L	10 x 10	4 x 1,8	140	◆	◆	◆	◆	◆	◆	◆
120,1020 L	10 x 10	4 x 2,0	140	■	■	■	■	■	■	■
120,1025 L	10 x 10	4 x 2,5	140	■	◆	◆	■	■	◆	◆
120,1030 L	10 x 10	4 x 3,0	140	■	◆	◆	■	■	◆	◆
120,1035 L	10 x 10	4 x 3,5	140	■	○	○	■	■	○	◆
120,1040 L	10 x 10	4 x 4,0	140	■	○	○	■	■	○	◆
120,1050 L	10 x 10	4 x 5,0	140	■	○	○	■	■	○	○
120,1060 L	10 x 10	4 x 6,0	140	■	○	○	■	■	○	○
120,1070 L	10 x 10	4 x 7,0	140	◆	○	○	◆	◆	○	○
120,1080 L	10 x 10	4 x 8,0	140	■	○	○	■	■	○	○
120,1010 R	10 x 10	3 x 1,0	140	■	◆	◆	■	■	◆	◆
120,1012 R	10 x 10	3 x 1,2	140	◆	◆	◆	◆	◆	◆	◆
120,1015 R	10 x 10	4 x 1,5	140	■	■	■	■	■	■	■
120,1018 R	10 x 10	4 x 1,8	140	◆	◆	◆	◆	◆	◆	◆
120,1020 R	10 x 10	4 x 2,0	140	■	■	■	■	■	■	■
120,1025 R	10 x 10	4 x 2,5	140	■	◆	◆	■	■	◆	◆
120,1030 R	10 x 10	4 x 3,0	140	■	◆	◆	■	■	◆	◆
120,1035 R	10 x 10	4 x 3,5	140	■	○	○	■	■	○	◆
120,1040 R	10 x 10	4 x 4,0	140	■	○	○	■	■	○	◆
120,1050 R	10 x 10	4 x 5,0	140	■	○	○	■	■	○	○
120,1060 R	10 x 10	4 x 6,0	140	■	○	○	■	■	○	○
120,1070 R	10 x 10	4 x 7,0	140	◆	○	○	◆	◆	○	○

■ disponible du stock
◆ disponible sous 2 à 3 semaines
○ non livrable

aus Lager lieferbar
Lieferzeit unter 2 bis 3 Wochen
nicht lieferbar


available from stock
lead time with 2 or 3 weeks
not available



Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,1080 R	10 x 10	4 x 8,0	140	■	○	○	■	■	○	○
120,1210 L	12 x 12	3 x 1,0	140	◆	◆	◆	◆	◆	◆	◆
120,1215 L	12 x 12	4 x 1,5	140	■	■	■	■	■	■	■
120,1220 L	12 x 12	4 x 2,0	140	■	■	■	■	■	■	■
120,1225 L	12 x 12	4 x 2,5	140	■	◆	◆	■	■	◆	◆
120,1230 L	12 x 12	4 x 3,0	140	■	◆	◆	■	■	◆	◆
120,1235 L	12 x 12	4 x 3,5	140	■	○	○	■	■	○	◆
120,1240 L	12 x 12	4 x 4,0	140	■	○	○	■	■	○	◆
120,1250 L	12 x 12	4 x 5,0	140	■	○	○	■	■	○	○
120,1260 L	12 x 12	4 x 6,0	140	■	○	○	■	■	○	○
120,1270 L	12 x 12	4 x 7,0	140	■	○	○	■	■	○	○
120,1280 L	12 x 12	4 x 8,0	140	■	○	○	■	■	○	○
120,12100 L	12 x 12	4 x 10,0	140	■	○	○	■	■	○	○
120,1210 R	12 x 12	3 x 1,0	140	◆	◆	◆	◆	◆	◆	◆
120,1215 R	12 x 12	4 x 1,5	140	■	■	■	■	■	■	■
120,1220 R	12 x 12	4 x 2,0	140	■	■	■	■	■	■	■
120,1225 R	12 x 12	4 x 2,5	140	■	◆	◆	■	■	◆	◆
120,1230 R	12 x 12	4 x 3,0	140	■	◆	◆	■	■	◆	◆
120,1235 R	12 x 12	4 x 3,5	140	■	○	○	■	■	○	◆
120,1240 R	12 x 12	4 x 4,0	140	■	○	○	■	■	○	◆
120,1250 R	12 x 12	4 x 5,0	140	■	○	○	■	■	○	○
120,1260 R	12 x 12	4 x 6,0	140	■	○	○	■	■	○	○
120,1270 R	12 x 12	4 x 7,0	140	■	○	○	■	■	○	○
120,1280 R	12 x 12	4 x 8,0	140	■	○	○	■	■	○	○
120,12100 R	12 x 12	4 x 10,0	140	■	○	○	■	■	○	○
120,1410 L	14 x 14	3 x 1,0	140	◆	◆	◆	◆	◆	◆	◆

■ disponible du stock
 ◆ disponible sous 2 à 3 semaines
 ○ non livrable

aus Lager lieferbar
 Lieferzeit unter 2 bis 3 Wochen
 nicht lieferbar


available from stock
 lead time with 2 or 3 weeks
 not available



Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,1415 L	14 x 14	4 x 1,5	140	♦	♦	♦	♦	♦	♦	♦
120,1420 L	14 x 14	4 x 2,0	140	■	♦	♦	■	■	♦	♦
120,1425 L	14 x 14	4 x 2,5	140	■	♦	♦	■	■	♦	♦
120,1430 L	14 x 14	4 x 3,0	140	■	♦	♦	■	■	♦	♦
120,1435 L	14 x 14	4 x 3,5	140	♦	○	○	♦	♦	○	♦
120,1440 L	14 x 14	4 x 4,0	140	■	○	○	■	■	○	♦
120,1450 L	14 x 14	4 x 5,0	140	■	○	○	■	■	○	○
120,1460 L	14 x 14	4 x 6,0	140	■	○	○	■	■	○	○
120,1470 L	14 x 14	4 x 7,0	140	♦	○	○	♦	♦	○	○
120,1480 L	14 x 14	4 x 8,0	140	■	○	○	■	■	○	○
120,14100 L	14 x 14	4 x 10,0	140	■	○	○	■	■	○	○
120,14120 L	14 x 14	4 x 12,0	140	♦	○	○	♦	♦	○	○
120,1410 R	14 x 14	3 x 1,0	140	♦	♦	♦	♦	♦	♦	♦
120,1415 R	14 x 14	4 x 1,5	140	♦	♦	♦	♦	♦	♦	♦
120,1420 R	14 x 14	4 x 2,0	140	■	♦	♦	■	■	♦	♦
120,1425 R	14 x 14	4 x 2,5	140	■	♦	♦	■	■	♦	♦
120,1430 R	14 x 14	4 x 3,0	140	■	♦	♦	■	■	♦	♦
120,1435 R	14 x 14	4 x 3,5	140	♦	○	○	♦	♦	○	♦
120,1440 R	14 x 14	4 x 4,0	140	■	○	○	■	■	○	♦
120,1450 R	14 x 14	4 x 5,0	140	■	○	○	■	■	○	○
120,1460 R	14 x 14	4 x 6,0	140	■	○	○	■	■	○	○
120,1470 R	14 x 14	4 x 7,0	140	♦	○	○	♦	♦	○	○
120,1480 R	14 x 14	4 x 8,0	140	■	○	○	■	■	○	○
120,14100 R	14 x 14	4 x 10,0	140	■	○	○	■	■	○	○
120,14120 R	14 x 14	4 x 12,0	140	♦	○	○	♦	♦	○	○
120,1610 L	16 x 16	3 x 1,0	140	♦	♦	♦	♦	♦	♦	♦
120,1615 L	16 x 16	4 x 1,5	140	♦	♦	♦	♦	♦	♦	♦

■ disponible du stock
♦ disponible sous 2 à 3 semaines
○ non livrable

aus Lager lieferbar
Lieferzeit unter 2 bis 3 Wochen
nicht lieferbar


available from stock
lead time with 2 or 3 weeks
not available



Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,1620 L	16 x 16	4 x 2,0	140	♦	♦	♦	♦	♦	♦	♦
120,1625 L	16 x 16	4 x 2,5	140	♦	♦	♦	♦	♦	♦	♦
120,1630 L	16 x 16	4 x 3,0	140	■	■	■	■	■	■	■
120,1635 L	16 x 16	4 x 3,5	140	♦	○	○	♦	♦	○	♦
120,1640 L	16 x 16	4 x 4,0	140	■	○	○	■	■	○	♦
120,1650 L	16 x 16	4 x 5,0	140	■	○	○	■	■	○	○
120,1660 L	16 x 16	4 x 6,0	140	■	○	○	■	■	○	○
120,1670 L	16 x 16	4 x 7,0	140	♦	○	○	♦	♦	○	○
120,1680 L	16 x 16	4 x 8,0	140	■	○	○	■	■	○	○
120,16100 L	16 x 16	4 x 10,0	140	■	○	○	■	■	○	○
120,16120 L	16 x 16	4 x 12,0	140	■	○	○	■	■	○	○
120,16140 L	16 x 16	4 x 14,0	140	■	○	○	■	■	○	○
120,1610 R	16 x 16	3 x 1,0	140	♦	♦	♦	♦	♦	♦	♦
120,1615 R	16 x 16	4 x 1,5	140	♦	♦	♦	♦	♦	♦	♦
120,1620 R	16 x 16	4 x 2,0	140	♦	♦	♦	♦	♦	♦	♦
120,1625 R	16 x 16	4 x 2,5	140	♦	♦	♦	♦	♦	♦	♦
120,1630 R	16 x 16	4 x 3,0	140	■	■	■	■	■	■	■
120,1635 R	16 x 16	4 x 3,5	140	♦	○	○	♦	♦	○	♦
120,1640 R	16 x 16	4 x 4,0	140	■	○	○	■	■	○	♦
120,1650 R	16 x 16	4 x 5,0	140	■	○	○	■	■	○	○
120,1660 R	16 x 16	4 x 6,0	140	■	○	○	■	■	○	○
120,1670 R	16 x 16	4 x 7,0	140	♦	○	○	♦	♦	○	○
120,1680 R	16 x 16	4 x 8,0	140	■	○	○	■	■	○	○
120,16100 R	16 x 16	4 x 10,0	140	■	○	○	■	■	○	○
120,16120 R	16 x 16	4 x 12,0	140	■	○	○	■	■	○	○
120,16140 R	16 x 16	4 x 14,0	140	■	○	○	■	■	○	○
120,2020 L	20 x 20	4 x 2,0	140	♦	♦	♦	♦	♦	♦	♦

■ disponible du stock
♦ disponible sous 2 à 3 semaines
○ non livrable

aus Lager lieferbar
Lieferzeit unter 2 bis 3 Wochen
nicht lieferbar


available from stock
lead time with 2 or 3 weeks
not available



Burins de décolletage à tronçonner référence 120

Abstechstähle Artikel Nr. 120

Cut-off tools reference 120



Référence	h x b (mm)	t x s (mm)	L (mm)	K10	K01	K05	H10F	Ramet 1	8UF	12UF
120,2025 L	20 x 20	4 x 2,5	140	♦	♦	♦	♦	♦	♦	♦
120,2030 L	20 x 20	4 x 3,0	140	♦	♦	♦	♦	♦	♦	♦
120,2035 L	20 x 20	4 x 3,5	140	♦	○	○	♦	♦	○	♦
120,2040 L	20 x 20	4 x 4,0	140	♦	○	○	♦	♦	○	♦
120,2050 L	20 x 20	4 x 5,0	140	♦	○	○	♦	♦	○	○
120,2060 L	20 x 20	4 x 6,0	140	♦	○	○	♦	♦	○	○
120,2080 L	20 x 20	4 x 8,0	140	♦	○	○	♦	♦	○	○
120,20100 L	20 x 20	4 x 10,0	140	♦	○	○	♦	♦	○	○
120,20120 L	20 x 20	4 x 12,0	140	♦	○	○	♦	♦	○	○
120,20140 L	20 x 20	4 x 14,0	140	♦	○	○	♦	♦	○	○
120,20160 L	20 x 20	4 x 16,0	140	♦	○	○	♦	♦	○	○
120,2020 R	20 x 20	4 x 2,0	140	♦	♦	♦	♦	♦	♦	♦
120,2025 R	20 x 20	4 x 2,5	140	♦	♦	♦	♦	♦	♦	♦
120,2030 R	20 x 20	4 x 3,0	140	■	♦	♦	■	■	♦	♦
120,2035 R	20 x 20	4 x 3,5	140	♦	○	○	♦	♦	○	♦
120,2040 R	20 x 20	4 x 4,0	140	■	○	○	■	■	○	♦
120,2050 R	20 x 20	4 x 5,0	140	■	○	○	■	■	○	○
120,2060 R	20 x 20	4 x 6,0	140	■	○	○	■	■	○	○
120,2080 R	20 x 20	4 x 8,0	140	■	○	○	■	■	○	○
120,20100 R	20 x 20	4 x 10,0	140	■	○	○	■	■	○	○
120,20120 R	20 x 20	4 x 12,0	140	■	○	○	■	■	○	○
120,20140 R	20 x 20	4 x 14,0	140	■	○	○	■	■	○	○
120,20160 R	20 x 20	4 x 16,0	140	♦	○	○	♦	♦	○	○

■ disponible du stock
♦ disponible sous 2 à 3 semaines
○ non livrable

aus Lager lieferbar
Lieferzeit unter 2 bis 3 Wochen
nicht lieferbar

available from stock
lead time with 2 or 3 weeks
not available